

## Wire mesh Cable basket



Material: Electrozinc coated steel (EZ or EZ1000) Stainless Steel AISI (i304) Length: 3 meters

- .(⇔).
- H65 60, 100, 150, 200 600mm (EZ/EZ 1000/i304)
- H105 100, 150, 200 600mm (EZ/EZ 1000)
- H150 200 500mm (EZ)

## **Features**

- Exceptional strength and heat dissipation
- Patented wave mesh design
- 45° degrees edges; cable safety
- 4 seconds/2 steps fast assembly system BF2R
- Finished with EZ1000 coating /SST material
- CO2 Environmental friendly solution
- Free from "Zinc Whiskers"
- 20J impact strength
- UL listed; no need for bonding jumper
- Has LEED material certificate for Green Building
- Approved type in Data Centers and Food Industry
- Resistant against fire E90
- Comply with ROHS directive 2011/65/EU

3rd Party Quality Test:







Material	Electrozinc or HDG steel (EZ or GC70)
	Stainless Steel AISI (i304 or i316)
Length:	3 meters
	* / \ *

بت.	. (↔).
H35	30, 60, 100, 150, 200, 300mm (EZ/GC70/i304/i316)
H65	100, 150, 200 - 600mm (EZ/EZ 1000)
H105	200 - 500mm (EZ)
EBFR H105	100, 150, 200 - 600mm (stackable storage type in GC70)

## Accessories



## Application





# Insulating Cable tray 66

For supporting, protecting and conducting cables in all type of installations. Available with perforated or non perforated base

### **Raw Materials**




## **Features**

- Raw materials are specially formulated and UL listed
- Inherently resistance to corrosion, humid and saline environment
- Very good performance in outdoor and UV ray exposure
- Electrical safety; increased protection for cables and installer
- Modular assembly system for ease of installation
- Homogenous material. No degradation of coating overtime
- Insulating type. No Earthing required



## Accessories



## Application



**Length:** 3 meters

.(<u></u>, .(↔).

60mm 75, 100, 150, 200, 300, 400mm 100mm 200, 300, 400, 500, 600 mm



# Insulating Cable ladder 67

For supporting and conducting large-calibre cables. Only one product for both horizontal and vertical installations

## Accessories



# Cable ties 22



## U62X\_DT

Detectable cable ties for tying of cables in food processing, pharmaceutical and all industries exposed to contaminants, in which detection devices are commonly used







U61X

For tying of cables and conduits in outdoor and indoor installations. Complete product family for all kind of applications







-

## U71X HD


For tying of cables and conduits in chemically aggressive environments, for indoor and outdoor installations. Good results with exposure to acids.







## **Compression connectors**





## Industrial Plugs & Sockets, and Distribution Boards



IEC 309 Range 16, 32, 63, 125A IP44, IP67, IP69



IB Range Interlocked Socket Outlet



68 Q-din Energy Distribution Systems









CW



E1FW



Falcon (2BC Plastic)



Sovereign (HDSS)

**Conduit system** 





**RSC** Pipe

A2F



Steel Flexible Conduit

Liquidtight Flexible Conduit





PVC Nylon

Nickel Plated Brass

Half-slot

channel

Solid

channel



Strut

clamp



Conduit

hanger



Clamping

nut

💦 sales@zenithunited.com

www.zenithunited.com

shop.zenithunited.com

Beam clamp



Locknut & Bushing

Ś

Ø 0



Liquidtight connectors

in 🕒 CONNECT WITH US




747 2/f Le Mar Ben II Bldg.

- San Bernardo St. Sta. Cruz, Manila
- T | +(632) 8734-53-44/46/48
- F | +(632) 8733-6454
- M | 0917-6278017 | 0925-5199107







## CABLE MANAGEMENT SOLUTIONS

Cable Ladder • Perforated Tray • Wire Basket • Cable Duct • Slotted Trunking Cable Cleats • Cable Gland • Cable Tie • Terminal Lugs • Wire Connector Rigid Steel Conduit • Flexible Metal • Liquidtight Conduit • Solid/Slotted Channel Threaded Rod • Clamps and Accessories • Industrial Sockets and Distribution Boards











